

INVITE[®]

Matt lamination/coating **BAKING**
覆哑光膜

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 2 + 0 colors and a matt varnish.

这个卡纸是基于ISO12647-2-2004/Amd

1 (2007) 印刷的, 用300 g 丝纸, 双面2色印刷, 过亚油

LAMINATION

Must always be with lamination.
Only shown without lamination for
color approval

Pantone PMS 432

Pantone PMS 7506



Matt lamination/coating
覆哑光膜

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 5 + 0 colors and a matt lamination.

这个卡纸是基于ISO12647-2-2004/Amd 1(2007)印刷的,用300 g 丝纸,5色+专色印刷,覆哑光膜

LAMINATION

Must always be with lamination.

Only shown without lamination for color approval

C 57 / M 80 / Y 100 / K 45

PANTONE 728 C

75% PANTONE 728 C



Matt lamination/coating
覆哑光膜
Partial Gloss UV varnish
部分面积UV油

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 2 + 0 colors and a matt lamination with partiel UV-Varnish.

这个卡纸是基于ISO12647-2-2004/Amd 1(2007)印刷的,用300 g 丝纸,2色+专色印刷,覆哑光膜,部分过UV

LAMINATION

Must always be with lamination.
Only shown without lamination for
color approval

Pantone metallic
PMS 877

PARTIEL
UV-VARNISH



HOLM

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 4 + 0 colors and a matt varnish.

Matt lamination/coating
覆哑光膜

这个卡纸是基于ISO12647-2-2004/Amd 1(2007)印刷的,用300 g 丝纸,双面4色印刷,过亚油

LAMINATION

Must always be with lamination.
Only shown without lamination for
color approval

C 30 / M 10 / Y 0 / K 30

marie sohl®

Matt lamination/coating
覆哑光膜

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 4 + 0 colors and a matt varnish.

这个卡纸是基于ISO12647-2-2004/Amd 1(2007)印刷的,用300 g 丝纸,双面4色印刷,过亚油

LAMINATION

Must always be with lamination.
Only shown without lamination for
color approval

Pantone 7543

50% Pantone 7543

C 2 / M 73 / Y 96 / K 0

marie sohl®

Matt lamination/coating
覆哑光膜

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 4 + 0 colors and a matt varnish.

这个卡纸是基于ISO12647-2-2004/Amd 1(2007)印刷的,用300 g 丝纸,双面4色印刷,过亚油

LAMINATION

Must always be with lamination.
Only shown without lamination for
color approval

Pantone 7543

50% Pantone 7543

Pantone 165

marie sohl®

Matt lamination/coating
覆哑光膜

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 4 + 0 colors and a matt lamination.

这个卡纸是基于ISO12647-2-2004/Amd 1(2007)印刷的,用300 g 丝纸,4色+专色印刷,覆哑光膜

LAMINATION

Must always be with lamination.
Only shown without lamination for
color approval

C 40 / M 0 / Y 0 / K 100

C 2 / M 73 / Y 96 / K 0

Nordic Sense

Matt lamination/coating

覆哑光膜

Nordic Sense

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 4 + 0 colors and a matt varnish.

这个卡纸是基于ISO12647-2-2004/Amd 1(2007)印刷的,用300 g 丝纸,双面4色印刷,过亚油

LAMINATION

Must always be with lamination.
Only shown without lamination for
color approval

C 15 / M 0 / Y 0 / K 60

C 7,5 / M 0 / Y 0 / K 30

Aldente[®]

Matt lamination/coating
覆哑光膜

NORMAL

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 4 + 0 colors and a matt lamination.

这个卡纸是基于ISO12647-2-2004/Amd 1(2007)印刷的,用300 g 丝纸,4色+专色印刷,覆哑光膜

LAMINATION

Must always be with lamination.
Only shown without lamination for
color approval

C O / M O / Y O / K 80

C O / M O / Y O / K 40

Aldente[®]

Matt lamination/coating
覆哑光膜

BAGE

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 4 + 0 colors and a matt lamination.

这个卡纸是基于ISO12647-2-2004/Amd 1(2007)印刷的,用300 g 丝纸,4色+专色印刷,覆哑光膜

LAMINATION

Must always be with lamination.

Only shown without lamination for color approval

C 30 / M 40 / Y 50 / K 80

85 % OF C 30 / M 40 / Y 50 / K 80

50 % OF C 30 / M 40 / Y 50 / K 80



Matt lamination/coating
覆哑光膜

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 4 + 0 colors and a matt lamination.

这个卡纸是基于ISO12647-2-2004/Amd 1(2007) 印刷的，用300 g 丝纸，4色+专色印刷，覆哑光膜

LAMINATION

Must always be with lamination.
Only shown without lamination for
color approval

C 30 / M 3 / Y 0 / K 0

C 30 / M 0 / Y 0 / K 80



KITCHEN

Matt lamination/coating
覆哑光膜

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 4 + 0 colors and a matt varnish.

这个卡纸是基于ISO12647-2-2004/Amd 1(2007)印刷的,用300 g 丝纸,双面4色印刷,过亚油

LAMINATION

Must always be with lamination.
Only shown without lamination for
color approval

C 53 / M 28 / Y 55 / K 70

C 62 / M 36 / Y 63 / K 20

C 45 / M 20 / Y 47 / K 0

C 53 / M 28 / Y 55 / K 10



BAGE

Matt lamination/coating

覆哑光膜

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 4 + 0 colors and a matt varnish.

这个卡纸是基于ISO12647-2-2004/Amd 1(2007)印刷的,用300 g 丝纸,双面4色印刷,过亚油

LAMINATION

Must always be with lamination.
Only shown without lamination for
color approval

C 4 / M 5 / Y 25 / K 0

C 7 / M 9 / Y 38 / K 0

C 63 / M 46 / Y 39 / K 27

FUNKTION®



EVERYDAY DELIGHTS

Matt lamination/coating
覆哑光膜

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 4 + 0 colors and a matt lamination.

这个卡纸是基于ISO12647-2-2004/Amd 1(2007)印刷的,用300 g 丝纸,4色+专色印刷,覆哑光膜

LAMINATION

Must always be with lamination.
Only shown without lamination for
color approval

C 15 / M 0 / Y 0 / K 80

C 13,5 / M 0 / Y 0 / K 72

C 70 / M 0 / Y 100 / K 0

C 35 / M 0 / Y 50 / K 0



Matt lamination/coating
覆哑光膜

BAGE

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 4 + 0 colors and a matt varnish.

这个卡纸是基于ISO12647-2-2004/Amd 1(2007)印刷的,用300 g 丝纸,双面4色印刷,过亚油

LAMINATION

Must always be with lamination.
Only shown without lamination for
color approval

C 40 / M 75 / Y 0 / K 70

C 30 / M 65 / Y 0 / K 60



Matt lamination/coating

覆哑光膜

**KOGE / STEGE
TOP OF TABLE**

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 4 + 0 colors and a matt varnish.

这个卡纸是基于ISO12647-2-2004/Amd 1(2007)印刷的,用300 g 丝纸,双面4色印刷,过亚油

LAMINATION

Must always be with lamination.
Only shown without lamination for
color approval

C 75 / M 50 / Y 30 / K 55

C 75 / M 50 / Y 30 / K 75



Matt lamination/coating
覆哑光膜

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 4 + 0 colors and a matt varnish.

GADGETS

这个卡纸是基于ISO12647-2-2004/Amd 1(2007) 印刷的, 用300 g 丝纸, 双面4色印刷, 过亚油

LAMINATION

Must always be with lamination.
Only shown without lamination for
color approval

C 10 / M 0 / Y 0 / K 40

C 15 / M 0 / Y 0 / K 80



Matt lamination/coating
覆哑光膜

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 4 + 0 colors and a matt varnish.

EL/KØKKEN

这个卡纸是基于ISO12647-2-2004/Amd 1(2007)印刷的,用300 g 丝纸,双面4色印刷,过亚油

LAMINATION

Must always be with lamination.
Only shown without lamination for
color approval

C 10 / M 0 / Y 0 / K 40

C 15 / M 0 / Y 0 / K 80



Matt lamination/coating
覆哑光膜

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 4 + 0 colors and a matt varnish.

PLAST / OPBEVARING

这个卡纸是基于ISO12647-2-2004/Amd 1(2007)印刷的,用300 g 丝纸,双面4色印刷,过亚油

LAMINATION

Must always be with lamination.
Only shown without lamination for
color approval

C 15 / M 0 / Y 0 / K 80



Matt lamination/coating
覆哑光膜

BAR

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 4 + 0 colors and a matt varnish.

这个卡纸是基于ISO12647-2-2004/Amd 1(2007) 印刷的，用300 g 丝纸，双面4色印刷，过亚油

LAMINATION

Must always be with lamination.
Only shown without lamination for
color approval

C 55 / M 10 / Y 20 / K 5

C 25 / M 0 / Y 10 / K 0



Matt lamination/coating
覆哑光膜

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 4 + 0 colors and a matt varnish.

TERMO / SERVERING

这个卡纸是基于ISO12647-2-2004/Amd 1(2007)印刷的,用300 g 丝纸,双面4色印刷,过亚油

LAMINATION

Must always be with lamination.
Only shown without lamination for
color approval

C 45 / M 45 / Y 50 / K 60

C 40 / M 42 / Y 45 / K 35

Södahl

Matt lamination/coating
覆哑光膜

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 4 + 0 colors and a matt varnish.

这个卡纸是基于ISO12647-2-2004/Amd 1(2007)印刷的,用300 g 丝纸,双面4色印刷,过亚油

LAMINATION

Must always be with lamination.
Only shown without lamination for
color approval

Pantone Cool gray 8

Pantone Cool gray 4



Matt lamination/coating
覆哑光膜

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 4 + 0 colors and a matt varnish.

这个卡纸是基于ISO12647-2-2004/Amd 1(2007)印刷的，用300 g 丝纸，双面4色印刷，过亚油

LAMINATION

Must always be with lamination.
Only shown without lamination for
color approval

Pantone 357



Matt lamination/coating
覆哑光膜

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 4 + 0 colors and a matt varnish.

这个卡纸是基于ISO12647-2-2004/Amd 1(2007)印刷的,用300 g 丝纸,双面4色印刷,过亚油

LAMINATION

Must always be with lamination.
Only shown without lamination for
color approval

C 15 / M 0 / Y 0 / K 80