

# INVITE<sup>®</sup>

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 2 + 0 colors and a matt lamination.

Matt lamination/coating **BAKING**  
覆哑光膜

这个卡纸是基于ISO12647-2-2004/Amd 1 (2007) 印刷的, 用300 g 丝纸, 2色+专色印刷, 覆哑光膜

## LAMINATION

Must always be with lamination.  
Only shown without lamination for  
color approval

Pantone PMS 432

Pantone PMS 7506

BLOMSTERBERG<sub>s</sub>

Matt lamination/coating  
覆哑光膜

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 1 + 0 colors and a matt lamination.

这个卡纸是基于ISO12647-2-2004/Amd 1(2007)印刷的,用300 g 丝纸,1色+专色印刷,覆哑光膜

LAMINATION

Must always be with lamination.  
Only shown without lamination for  
color approval

PANTONE WARM GRAY 2C

80% PANTONE WARM GRAY 2C



Matt lamination/coating  
覆哑光膜

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 4 + 0 colors and a matt lamination.

这个卡纸是基于ISO12647-2-2004/Amd 1(2007) 印刷的, 用300 g 丝纸, 4色+专色印刷, 覆哑光膜

#### LAMINATION

Must always be with lamination.  
Only shown without lamination for  
color approval

C 43 / M 17 / Y 0 / K 43

C 50 / M 20 / Y 0 / K 50



**HOLM**

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 4 + 0 colors and a matt lamination.

Matt lamination/coating  
覆哑光膜

这个卡纸是基于ISO12647-2-2004/Amd 1(2007)印刷的,用300 g 丝纸,4色+专色印刷,覆哑光膜

LAMINATION

Must always be with lamination.  
Only shown without lamination for  
color approval

C 30 / M 10 / Y 0 / K 30

C 50 / M 20 / Y 0 / K 50

marie sohl 

Matt lamination/coating  
覆哑光膜

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 5 + 0 colors and a matt lamination.

这个卡纸是基于ISO12647-2-2004/Amd 1 (2007) 印刷的, 用300 g 丝纸, 5色+专色印刷, 覆哑光膜

LAMINATION

Must always be with lamination.  
Only shown without lamination for  
color approval

Pantone 7543

50% Pantone 7543

C 2 / M 73 / Y 96 / K 0

marie sohl 

Matt lamination/coating  
覆哑光膜

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 3 + 0 colors and a matt lamination.

这个卡纸是基于ISO12647-2-2004/Amd 1(2007) 印刷的, 用300 g 丝纸, 3色+专色印刷, 覆哑光膜

LAMINATION

Must always be with lamination.  
Only shown without lamination for  
color approval

Pantone 7543

50% Pantone 7543

Pantone 165

marie sohl®

Matt lamination/coating  
覆哑光膜

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 4 + 0 colors and a matt lamination.

这个卡纸是基于ISO12647-2-2004/Amd 1(2007) 印刷的, 用300 g 丝纸, 4色+专色印刷, 覆哑光膜

LAMINATION

Must always be with lamination.  
Only shown without lamination for  
color approval

C 40 / M 0 / Y 0 / K 100

C 2 / M 73 / Y 96 / K 0

marie sohl 

Matt lamination/coating  
覆哑光膜

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 5 + 0 colors and a matt lamination.

这个卡纸是基于ISO12647-2-2004/Amd 1(2007)印刷的,用300 g 丝纸,5色+专色印刷,覆哑光膜

LAMINATION

Must always be with lamination.  
Only shown without lamination for  
color approval

Pantone 7544U

C 2 / M 73 / Y 96 / K 0

# Nordic Sense

Matt lamination/coating  
覆哑光膜

## Nordic Sense

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 4 + 0 colors and a matt lamination.

这个卡纸是基于ISO12647-2-2004/Amd 1 (2007) 印刷的, 用300 g 丝纸, 4色+专色印刷, 覆哑光膜

### LAMINATION

Must always be with lamination.  
Only shown without lamination for  
color approval

C 15 / M 0 / Y 0 / K 60

C 7,5 / M 0 / Y 0 / K 30



Matt lamination/coating  
覆哑光膜

## BAGE

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 4 + 0 colors and a matt lamination.

这个卡纸是基于ISO12647-2-2004/Amd 1(2007) 印刷的，用300 g 丝纸，4色+专色印刷，覆哑光膜

### LAMINATION

Must always be with lamination.  
Only shown without lamination for  
color approval

C 40 / M 75 / Y 0 / K 70

C 30 / M 65 / Y 0 / K 60



Matt lamination/coating  
覆哑光膜

## KOGE / STEGE TOP OF TABLE

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 4 + 0 colors and a matt lamination.

这个卡纸是基于ISO12647-2-2004/Amd 1(2007) 印刷的, 用300 g 丝纸, 4色+专色印刷, 覆哑光膜

### LAMINATION

Must always be with lamination.  
Only shown without lamination for  
color approval

C 75 / M 50 / Y 30 / K 55

C 75 / M 50 / Y 30 / K 75



Matt lamination/coating  
覆哑光膜

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 4 + 0 colors and a matt lamination.

## EL & GADGET

这个卡纸是基于ISO12647-2-2004/Amd 1(2007) 印刷的, 用300 g 丝纸, 4色+专色印刷, 覆哑光膜

### LAMINATION

Must always be with lamination.  
Only shown without lamination for  
color approval

C 12 / M 0 / Y 0 / K 64

C 15 / M 0 / Y 0 / K 80



Matt lamination/coating  
覆哑光膜

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 4 + 0 colors and a matt lamination.

## PLAST / OPBEVARING

这个卡纸是基于ISO12647-2-2004/Amd 1(2007) 印刷的, 用300 g 丝纸, 4色+专色印刷, 覆哑光膜

### LAMINATION

Must always be with lamination.  
Only shown without lamination for  
color approval

C 15 / M 0 / Y 0 / K 80



Matt lamination/coating  
覆哑光膜

**BAR**

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 4 + 0 colors and a matt lamination.

这个卡纸是基于ISO12647-2-2004/Amd 1(2007)印刷的,用300 g 丝纸,4色+专色印刷,覆哑光膜

LAMINATION

Must always be with lamination.  
Only shown without lamination for  
color approval

C 55 / M 10 / Y 20 / K 5

C 25 / M 0 / Y 10 / K 0



Matt lamination/coating  
覆哑光膜

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 4 + 0 colors and a matt lamination.

## TERMO / SERVERING

这个卡纸是基于ISO12647-2-2004/Amd 1(2007)印刷的,用300 g 丝纸,4色+专色印刷,覆哑光膜

### LAMINATION

Must always be with lamination.  
Only shown without lamination for  
color approval

C 45 / M 45 / Y 50 / K 60

C 40 / M 42 / Y 45 / K 35



Matt lamination/coating  
覆哑光膜

**Mads Odgaard**

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 4 + 0 colors and a matt lamination.

这个卡纸是基于ISO12647-2-2004/Amd 1(2007)印刷的,用300 g 丝纸,4色+专色印刷,覆哑光膜

LAMINATION

Must always be with lamination.  
Only shown without lamination for  
color approval

C 50 / M 0 / Y 0 / K 100

# Södahl

Matt lamination/coating  
覆哑光膜

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 6 + 0 colors and a matt lamination.

这个卡纸是基于ISO12647-2-2004/Amd 1(2007)印刷的,用300 g 丝纸,6色+专色印刷,覆哑光膜

## LAMINATION

Must always be with lamination.  
Only shown without lamination for  
color approval

Pantone Cool gray 8

Pantone Cool gray 4



Matt lamination/coating  
覆哑光膜

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 4 + 0 colors and a matt lamination.

这个卡纸是基于ISO12647-2-2004/Amd 1(2007)印刷的,用300 g 丝纸,4色+专色印刷,覆哑光膜

#### LAMINATION

Must always be with lamination.  
Only shown without lamination for  
color approval

C 15 / M 0 / Y 0 / K 80



Matt lamination/coating  
覆哑光膜

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 2 + 0 colors and a matt lamination.

这个卡纸是基于ISO12647-2-2004/Amd 1(2007)印刷的,用300 g 丝纸,2色+专色印刷,覆哑光膜

#### LAMINATION

Must always be with lamination.  
Only shown without lamination for  
color approval

Cool Grey 10

The logo for Bitz, featuring the word "Bitz" in a stylized, cursive script font.

Matt lamination/coating  
覆哑光膜

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 5 + 0 colors and a matt lamination.

这个卡纸是基于ISO12647-2-2004/Amd 1(2007) 印刷的, 用300 g 丝纸, 5色+专色印刷, 覆哑光膜

LAMINATION

Must always be with lamination.  
Only shown without lamination for  
color approval

Pantone 5487 C

70 % Pantone 5487 C



Matt lamination/coating  
覆哑光膜  
Partial Gloss UV varnish  
部分面积UV油

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 5 + 0 colors and a matt lamination with partial UV-Varnish.

这个卡纸是基于ISO12647-2-2004/Amd 1(2007)印刷的,用300 g 丝纸,5色+专色印刷,覆哑光膜,部分过UV

#### LAMINATION

Must always be with lamination.  
Only shown without lamination for  
color approval

PMS 2955

C 70 / M 40 / Y 40 / K 100

# PARTIEL UV-VARNISH

50 MY

Medusa  
Copenhagen

Matt lamination/coating  
覆哑光膜  
Partial Gloss UV varnish  
部分面积UV油

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 2 + 0 colors and a matt lamination with partial UV-Varnish.

这个卡纸是基于ISO12647-2-2004/Amd 1(2007) 印刷的, 用300 g 丝纸, 2色+专色印刷, 覆哑光膜, 部分过UV

#### LAMINATION

Must always be with lamination.  
Only shown without lamination for  
color approval

Pantone premium metallic 10126 C

Medusa  
Copenhagen

Matt lamination/coating  
覆哑光膜

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 2 + 0 colors and a matt lamination.

这个卡纸是基于ISO12647-2-2004/Amd 1 (2007) 印刷的, 用300 g 丝纸, 2色+专色印刷, 覆哑光膜

LAMINATION

Must always be with lamination.  
Only shown without lamination for  
color approval

Pantone premium metallic silver C



Matt lamination/coating  
覆哑光膜

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 4 + 0 colors and a matt lamination.

这个卡纸是基于ISO12647-2-2004/Amd 1(2007)印刷的,用300 g 丝纸,4色+专色印刷,覆哑光膜

#### LAMINATION

Must always be with lamination.  
Only shown without lamination for  
color approval

C 50 / M 50 / Y 50 / K 100

C 0 / M 20 / Y 60 / K 40

# 79NORD

Matt lamination/coating  
覆哑光膜

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 4 + 0 colors and a matt lamination.

这个卡纸是基于ISO12647-2-2004/Amd 1 (2007) 印刷的, 用300 g 丝纸, 4色+专色印刷, 覆哑光膜

## LAMINATION

Must always be with lamination.  
Only shown without lamination for  
color approval

C 0 / M 20 / Y 60 / K 40

# Celebrate

Matt lamination/coating  
覆哑光膜

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 1 + 0 colors and a matt lamination.

这个卡纸是基于ISO12647-2-2004/Amd 1(2007)印刷的,用300 g 丝纸,1色+专色印刷,覆哑光膜

## LAMINATION

Must always be with lamination.  
Only shown without lamination for  
color approval

Pantone premium metallic 10126 C



Matt lamination/coating  
覆哑光膜

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 2 + 0 colors and a matt lamination.

这个卡纸是基于ISO12647-2-2004/Amd 1(2007)印刷的,用300 g 丝纸,2色+专色印刷,覆哑光膜

#### LAMINATION

Must always be with lamination.  
Only shown without lamination for  
color approval

Pantone 7530

Pantone 7528



Matt lamination/coating  
覆哑光膜

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 2 + 0 colors and a matt lamination.

这个卡纸是基于ISO12647-2-2004/Amd 1(2007)印刷的,用300 g 丝纸,2色+专色印刷,覆哑光膜

### LAMINATION

Must always be with lamination.  
Only shown without lamination for  
color approval

Pantone 418

75 %

50 %

Pantone 5595

# Nordic Sense

WELNESS

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 4 + 0 colors and a matt lamination.

Matt lamination/coating  
覆哑光膜

这个卡纸是基于ISO12647-2-2004/Amd 1(2007)印刷的,用300 g 丝纸,4色+专色印刷,覆哑光膜

## LAMINATION

Must always be with lamination.  
Only shown without lamination for  
color approval

C 44 / M 12 / Y 34 / K 24

C 26,4 / M 7,2 / Y 20,4 / K 14,4

C 8,8 / M 2,4 / Y 6,8 / K 4,8

# Nordic Sense

HAIRCARE

Matt lamination/coating

覆哑光膜

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 4 + 0 colors and a matt lamination.

这个卡纸是基于ISO12647-2-2004/Amd 1(2007)印刷的,用300 g 丝纸,4色+专色印刷,覆哑光膜

## LAMINATION

Must always be with lamination.  
Only shown without lamination for  
color approval

C 8 / M 23 / Y 52 / K 15

C 5 / M 14 / Y 31 / K 9

C 2 / M 5 / Y 11 / K 3

# Nordic Sense

## FUNKTION

This card is printed after ISO 12647-2-2004/ Amd 1 (2007) standard, on 300 gram silk paper, with 4 + 0 colors and a matt lamination.

Matt lamination/coating  
覆哑光膜

这个卡纸是基于ISO12647-2-2004/Amd 1(2007)印刷的,用300 g 丝纸,4色+专色印刷,覆哑光膜

### LAMINATION

Must always be with lamination.  
Only shown without lamination for  
color approval

C 12 / M 0 / Y 0 / K 64

C 15 / M 0 / Y 0 / K 80